



# EPD Transparency Summary

## Von Duprin

COMPANY NAME

Exit Device

PRODUCT TYPE

33A/35A Series Exit Devices

PRODUCT NAME

PRODUCT DEFINITION

Products within the 33A/35A series are ANSI 156.3 Grade 1 exit devices designed for commercial use. The product is manufactured at Allegion's manufacturing facility in Indianapolis, IN. Specifically this EPD represents an average product from a single manufacturing plant.

PRODUCT CATEGORY RULE (PCR)

Product Category Rule (PCR) for preparing an Environmental Product Declaration (EPD) for Product Group, Builders Hardware UL9004. Version: April 3rd, 2014.

CERTIFICATION PERIOD

March 14, 2016 - March 13, 2021

DECLARATION NUMBER

4787103471.106.1



## LIFECYCLE IMPACT CATEGORIES

The environmental impacts listed below were assessed throughout the product's lifecycle – including raw material extraction, transportation, manufacturing, packaging, use, and disposal at end of life.

	ATMOSPHERE			WATER		EARTH	
	<b>Global Warming Potential</b> refers to long-term changes in global weather patterns – including temperature and precipitation – that are caused by increased concentrations of greenhouse gases in the atmosphere.	<b>Ozone Depletion Potential</b> is the destruction of the stratospheric ozone layer, which shields the earth from ultraviolet radiation that's harmful to life, caused by human-made air pollution.	<b>Photochemical Ozone Creation Potential</b> happens when sunlight reacts with hydrocarbons, nitrogen oxides, and volatile organic compounds, to produce a type of air pollution known as smog.	<b>Acidification Potential</b> is the result of human-made emissions and refers to the decrease in pH and increase in acidity of oceans, lakes, rivers, and streams – a phenomenon that pollutes groundwater and harms aquatic life.	<b>Eutrophication Potential</b> occurs when excessive nutrients cause increased algae growth in lakes, blocking the underwater penetration of sunlight needed to produce oxygen and resulting in the loss of aquatic life.	<b>Depletion of Abiotic Resources (Elements)</b> refers to the reduction of available non-renewable resources, such as metals and gases, that are found on the periodic table of elements, due to human activity.	<b>Depletion of Abiotic Resources (Fossil Fuels)</b> refers to the decreasing availability of non-renewable carbon-based compounds, such as oil and coal, due to human activity.
TRACI	2.17E+01	2.46E-08	1.16E+00	1.00E-01	1.03E-02	N/A	1.91E+01
CML	2.17E+01	2.26E-08	9.99E-03	9.30E-02	1.29E-02	3.86E-04	2.36E+02

FUNCTIONAL UNIT One average 33A/35A Series Exit Device. The values above are the sum of modules A1-C4.





## MATERIAL CONTENT

Material content measured to 1%.

COMPONENT	MATERIAL	AVAILABILITY	MASS%	ORIGIN
Exit Device Body	Steel	Abundant, non-renewable	81%	US
Exit Device Body	Aluminum	Abundant, non-renewable	16%	US
Exit Device Body	Zinc	Abundant, non-renewable	2%	US
Exit Device Body	Nylon	Abundant, non-renewable	2%	US
Exit Device Body	Neoprene	Abundant, non-renewable	<1%	US

## ADDITIONAL ENVIRONMENTAL INFORMATION

PRE-CONSUMER RECYCLED CONTENT	Various %
POST-CONSUMER RECYCLED CONTENT	Various %
VOC EMISSIONS	0
WATER CONSUMPTION	5.91E+01

## RECYCLING OR REUSE

Von Duprin products may be recycled or reused at the end of life. The LCA that this EPD is created from takes the conservative approach by assuming that all products are disposed of within the system boundary. However, potential recycling is an option based on local availability.

## ENERGY

RENEWABLE ENERGY	0 %	MJ
NON-RENEWABLE ENERGY	100 %	MJ

## STANDARDS

ANSI/BHMA A156.3

## CERTIFICATIONS


## MANUFACTURER CONTACT INFO

NAME	Tim Weller
PHONE	1.317.810.3700
EMAIL	Tim.Weller@allegion.com
WEBSITE	<a href="http://us.allegion.com/communities/architects/solutions/Pages/green.aspx">http://us.allegion.com/communities/architects/solutions/Pages/green.aspx</a>